

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)	Art Unit:
John J. KOPCHICK	)	
	)	Examiner:
	)	
Appln. No.: 10/524,237	)	Washington, D.C.
	)	
Filed: August 4, 2003	)	December 15, 2005
	)	
For: DIAGNOSIS OF KIDNEY	)	Docket No.: KOPCHICK5A
DAMAGE AND PROTECTION AGAINST	)	
SAME	)	Confirmation No.: 8623

RESPONSE TO "SEQUENCE LISTING" REQUIREMENT

U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building, Mail Stop  
401 Dulany Street  
Alexandria, VA 22314

Sir:

In response to the Notice to Comply, mailed October 28, 2005, please amend the application as follows:

IN THE SPECIFICATION

Please enter the attached Sequence Listing, numbered as pages 1-82.

REMARKS

- Applicants hereby submit the following:
  - ☒ a paper copy of a "Sequence Listing", complying with §1.821(c), to be incorporated into the specification as directed above;
  - ☐ an amendment to the paper copy of the "Sequence Listing" submitted on , the amendment being in the form of substitute sheets;
  - ☒ the Sequence Listing in computer readable form, complying with '1.821(e) and '1.824, including, if an amendment to the paper copy is submitted, all previously submitted data with the amendment